



STV - Outlet Distributors

Your portable power distribution solution. The STV-Outlet Distributor Series encompasses five different models in five different enclosure sizes. The STV Series features modern, rugged enclosures made of glass fiber reinforced Polycarbonate, designed to protect, house and insulate standard outlet and pin & sleeve receptacles in dusty, corrosive and wet environments. These enclosures are especially impact, temperature and weather resistant and are ideal for use in outdoor applications. All models carry the ingress protection IPX4.

- Compatible with EK and TK Enclosure Series
- Cost efficient solutions to special applications
- UV, weather and impact resistant
- Every enclosure equipped with separate carrying handle, pre-mounted DIN rail and IP68 cable gland
- Mountable circuit breakers to protect your devices
- Customize with your choice of components installed
- Suited for both mobile and installed "on the wall" applications

Standard Features

- **Protection Level:** IPX4
- **Technical:**
 - Knockout Sidewalls
 - Tinted Transparent Door
 - Outlet Holes-38mm x38mm Hole Spacing
 - Pin and Sleeve Socket Holes
 - 60mm x60mm Hole Spacing
- **Enclosure Material:** Polycarbonate
- **Temperature Range:** -35°C to 130°C (-31°F to 266°F)
- **Gasket Material:** Polyurethane
- **Color:** Light Gray
- **Included Accessories:** Metric Entry Spouts
PE/N Terminal Strip
DIN Rail
- **Accessories:** See section below




STV

Ordering Information	Cat. No.	Type	Length	Dimensions mm (in) Width	Height	Std. Pk.
2 Circuit Breakers** and 2 outlet holes	509-902	STV202-L	188 mm (7.40 in)	130 mm (5.12 in)	81 mm (3.19 in)	1
8 Circuit Breakers and 4 outlet holes	510-904	STV804-L	293 mm (11.54 in)	180 mm (7.09 in)	111 mm (4.37 in)	1
8 Circuit Breakers, 2 outlet holes and 1 socket hole	511-912	STV812-L	293 mm (11.54 in)	180 mm (7.09 in)	111 mm (4.37 in)	1
12 Circuit Breakers and 8 outlet holes	515-908	STV1208-L	254 mm (10.00 in)	361 mm (14.21 in)	111 mm (4.47 in)	1
12 Circuit Breakers, 4 outlet holes and 2 socket holes	516-924	STV1224-L	254 mm (10.00 in)	361 mm (14.21 in)	111 mm (4.47 in)	1

Accessories

Ordering Information	Cat. No.	Type	Std. Pk.
Outlet Cover Plate	510-038	STV-CP/0	1
Socket Cover Plate	510-060	STV-CP/S	1
Carrying Handle	191-800	STV-CH	1

** Expandable to 3 circuit breakers with knockout.



Contact Altech for our Pin and Sleeve Devices, Circuit Protection Devices and other control components.



PB Series - Push Button Enclosures


The PB Series features modern, rugged enclosures made of glass fiber reinforced Polycarbonate, designed to protect and insulate 22.5 mm push buttons in dusty, corrosive and wet environments. Five different standard enclosures have pre-drilled mounting holes for up to five switches. Custom enclosures are available in different sizes and hole patterns to suit your specific application. Call Altech for further information.

- Universal fit for nearly all 22.5mm dia. push buttons
- Compatible with the EK and TK Enclosure Series
- Customization services available - design and quantity considerations may apply
- Proven technology with modern design
- Black cover screws are standard with all models
- IP66 / Nema 4X
- UV, weather and impact resistant

Standard Features

- **Protection Level:** IP66*
- **Technical:** M16/20 Knockout Sidewalls¹
22.5 mm Diameter Push Button Holes
- **Enclosure Material:** Polycarbonate
- **Temperature Range:** -35°C to 130°C (-31°F to 266°F)
- **Gasket Material:** Polyurethane
- **Color:** Light Gray
- **Accessories:** See section below

* IP66 when suitable installation devices are used.



PB

Ordering Information	Cat. No.	Type	Length	Dimensions mm (in) Width	Height	Std. Pk.
One Button Enclosure	153-901	PB1-L	94 mm (3.70 in)	94 mm (3.70 in)	81 mm (3.19 in)	1
One Button Enclosure with Yellow cover	153-601	PB1-L/Y	94 mm (3.70 in)	94 mm (3.70 in)	81 mm (3.19 in)	1
Two Button Enclosure	153-902	PB2-L	130 mm (5.12 in)	94 mm (3.70 in)	81 mm (3.19 in)	1
Three Button Enclosure	153-903	PB3-L	180 mm (7.09 in)	94 mm (3.70 in)	81 mm (3.19 in)	1
Four Button Enclosure	153-904	PB4-L	180 mm (7.09 in)	94 mm (3.70 in)	81 mm (3.19 in)	1
Five Button Enclosure	153-905	PB5-L	180 mm (7.09 in)	94 mm (3.70 in)	81 mm (3.19 in)	1

Accessories

Ordering Information	Cat. No.	Type	Std. Pk.
Sealing Cover	X-159-01	PB-SC	1



¹ Consult Altech for knockout location and quantity.